

Context Plus

Addressable Fire Equipment Catalogue



SOUNDERS & BEACONS (VADS)



Base Sounder
Part Number CON431A/CX/W
(pictured with head & base)

96DB(A) BASE SOUNDER, CON431A/CX/W

- Third-party certified to EN54-3 (Sounder) & 17 (Isolator)
- Impressive 96dB(A) sound output @ 1m
- Onboard short-circuit loop isolator
- Group addressing facility allows multiple devices to operate simultaneously
- Ideal for mounting under ContextPlus detectors in corridors, stairwells & open spaces
- Suitable for use with DIL Switch & XPERT Card detectors
- Optional BF330CTLIDW cap available for stand-alone use
- 5mA alarm current @24VDC
- 550uA quiescent current
- 112mm diameter, 46mm deep (base only). IP21C (Type A) rated

Optional Voice Sounder version also available - order code BF454A/CX/W

Context Plus

Other products in the Context Plus range



Conventional fire detection panels



Conventional smoke and heat detectors



HFC227ea
Conventional fire suppression systems




Conventional signalling devices



Conventional wireless fire alarm systems



Stand-alone mains & battery operated smoke, heat & CO alarms



Fire resistant cables



EN54 compliant power supplies

CONTEXT PLUS LIMITED

Newby Road, Hazel Grove Manchester SK7 5DA. England.

Tel: +44 161 257 2541. Fax: +44 161 225 8817.

E-mail: sales@contextplus.co.uk Website: www.contextplus.co.uk

MADE IN ENGLAND