


Context[®]
Plus

Conventional Fire Equipment Catalogue



FIREPLUS PLATFORM SOUNDER CP850BSW



- ▶ 32 tones plus a selectable override tone
- ▶ Sound level @ 1m (Tone1): 93.8dB(A) High.
- ▶ Current consumption @ 12mA High.
- ▶ Switch selectable volume control
- ▶ Modern ultra low profile for discreet mounting
- ▶ Fully approved to EN54-3 by LPCB
- ▶ Designed to accept most leading detector bases
- ▶ IP21C Rated



Approved

MADE IN
ENGLAND

24VDC White FirePlus platform
conventional base sounder
Part Number CP850BSW

FIREPLUS ORDER CODES

Part Code

24VDC Red FirePlus Weatherproof IP65 fire sounder, deep base, LPCB, Context Plus branded	CP550DB
24VDC Red FirePlus Weatherproof IP65 fire sounder/beacon, deep base, Intertek, Context Plus branded	CP750CDB
24VDC White FirePlus platform conventional base sounder, LPCB	CP850BSW

Context[®] Plus

Other products in the Context Plus range



Addressable fire detection panels



Addressable smoke and heat detectors



HFC227ea
Conventional fire suppression systems




Addressable Signalling devices



Conventional wireless fire alarm systems



Stand-alone mains & battery operated smoke, heat & CO alarms



Fire resistant cables



EN54 compliant power supplies

CONTEXT PLUS LIMITED

Progress House, Newby Industrial Estate, Newby Road, Hazel Grove, Stockport, Cheshire SK7 5DA. England.

Tel: +44 161 257 2541. Fax: +44 161 225 8817.

E-mail: sales@contextplus.co.uk Website: www.contextplus.co.uk

MADE IN ENGLAND