

Addressable Fire Equipment Catalogue







## INTELLIGENT MOUNTING BASE, XPERT STYLE, 45681-210IMC

Accepts all Context Plus Xpert card stlyle smoke and heat detectors. It is a zero insertion force base with dual finger receptacles of stainless steel into which the detector terminals slide. Cable connections of up to 2.5mm diameter are made via captive cable clamps.

Context

Plus

Includes four double terminals (L1 = - line IN and OUT; L2 = + line IN and OUT; +R = remote LED positive supply; -R = remote LED negative supply) and one isolated single terminal that can be used to provide continuity of an earth or shield.

XPERT cards, are supplied with all bases. Consult the coding guide to determine which pips are to be removed. Pre-printed and pre-punched address cards that save time and increase accuracy during commissioning are available in sets (part number: 45682-127).

The base has a 'one way only' fit and detectors can be locked into the base by a grub screw with the aid of a 1.5mm hexagonal driver.



## Other products in the Context Plus range



Conventional fire detection panels



Conventional wireless fire alarm systems



Conventional smoke and heat detectors



Stand-alone mains & battery operated smoke, heat & CO alarms



HFC227ea Conventional fire suppression systems



Fire resistant cables



Conventional signalling devices



EN54 compliant power supplies

## **CONTEXT PLUS LIMITED**

Newby Road, Hazel Grove Manchester SK7 5DA. England. Tel: +44 161 257 2541. Fax: +44 161 225 8817. E-mail: sales@contextplus.co.uk Website: www.contextplus.co.uk

MADE IN ENGLAND